

# Augmented mixed finite element methods for nonlinear problems in continuum mechanics\*

GABRIEL N. GATICA<sup>†</sup> ANTONIO MÁRQUEZ<sup>‡</sup> RICARDO OYARZÚA<sup>§</sup>  
RAMIRO REBOLLEDO<sup>¶</sup> WALTER RUDOLPH<sup>||</sup>

## Abstract

In this paper we introduce and analyze new augmented mixed finite element methods allowing much more flexibility in the choice of the corresponding finite dimensional subspaces for a class of nonlinear problems arising in continuum mechanics. We first deal with a problem in hyperelasticity for which the incorporation of the strain tensor as an auxiliary unknown, together with the usual stress-displacement-rotation approach employed in linear elasticity, yields a nonlinear twofold saddle point operator equation as the resulting weak formulation. Then, we consider the augmented schemes obtained by adding consistent Galerkin-type terms arising first from the constitutive equation, and then from the equilibrium equation and the relations defining the rotation in terms of the displacement and the strain tensor as independent unknown, all of them multiplied by suitably chosen stabilization parameters. As a second problem, we study the coupling of quasi-Newtonian fluids and porous media, where the flows are governed by a class of nonlinear Stokes and linear Darcy equations, respectively, and the transmission conditions are given by mass conservation, balance of normal forces, and the Beavers-Joseph-Saffman law. We apply dual-mixed formulations in both domains, and, in order to handle the nonlinearity involved in the Stokes region, we set the strain and vorticity tensors as auxiliary unknowns. In turn, since the transmission conditions become essential, they are imposed weakly, which yields the introduction of the traces of the porous

---

\*This research was partially supported by BASAL project CMM, Universidad de Chile, by Centro de Investigación en Ingeniería Matemática (CI<sup>2</sup>MA), Universidad de Concepción, and by CONICYT project Anillo ACT1118 (ANANUM). This work is to be presented at the SEMANA DE LA MATEMÁTICA 2013, to be held at the IMA, PUCV, Valparaíso, Chile, during October 2 - 4, 2013.

<sup>†</sup>CI<sup>2</sup>MA and Departamento de Ingeniería Matemática, Universidad de Concepción, Casilla 160-C, Concepción, Chile, email: [ggatica@ing-mat.udec.cl](mailto:ggatica@ing-mat.udec.cl)

<sup>‡</sup>Departamento de Construcción e Ingeniería de Fabricación, Universidad de Oviedo, Oviedo, España, email: [amarquez@uniovi.es](mailto:amarquez@uniovi.es)

<sup>§</sup>CI<sup>2</sup>MA, Universidad de Concepción, and Departamento de Matemática, Facultad de Ciencias, Universidad del Bío-Bío, Casilla 3-C, Concepción, Chile, e-mail: [royarzua@ubiobio.cl](mailto:royarzua@ubiobio.cl)

<sup>¶</sup>CI<sup>2</sup>MA and Departamento de Ingeniería Matemática, Universidad de Concepción, Casilla 160-C, Concepción, Chile, email: [ramirorebolledo@udec.cl](mailto:ramirorebolledo@udec.cl)

<sup>||</sup>CI<sup>2</sup>MA and Departamento de Ingeniería Matemática, Universidad de Concepción, Casilla 160-C, Concepción, Chile, email: [wrudolph@udec.cl](mailto:wrudolph@udec.cl)

media pressure and the fluid velocity as the associated Lagrange multipliers. Moreover, in order to facilitate the analysis, we augment the formulation in the fluid by incorporating a redundant Galerkin-type term arising from the quasi-Newtonian constitutive law multiplied by a suitable stabilization parameter. Next, we apply classical results on the solvability analysis of nonlinear saddle point and strongly monotone operator equations, and also a new generalization of the Babuška-Brezzi theory, to show the well-posedness of all the resulting continuous and discrete formulations and to derive the corresponding a-priori error estimates. This certainly includes the previous derivation of feasible finite element subspaces for all the unknowns. In addition, we employ classical approaches, which include linearization techniques, Clément's interpolator and Helmholtz's decomposition, together with known efficiency estimates, to derive a reliable and efficient residual-based a posteriori error estimator for each one of the discrete schemes of both problems. Finally, several numerical results confirming the good performance of the augmented mixed finite element methods and the properties of the a posteriori error estimators, and illustrating the capability of the corresponding adaptive algorithms to identify the singular regions of the solutions, are reported.

## References

- [1] D.N. ARNOLD, F. BREZZI, AND J. DOUGLAS, *PEERS: A new mixed finite element method for plane elasticity*. Japan Journal of Applied Mathematics, vol. 1, 2, pp. 347-367, (1984).
- [2] M. BARRIENTOS, G.N. GATICA, AND E.P. STEPHAN, *A mixed finite element method for nonlinear elasticity: two-fold saddle approach and a-posteriori error estimate*. Numerische Mathematik, vol. 91, 2, pp. 197-222, (2002).
- [3] L. FIGUEROA, G.N. GATICA, AND N. HEUER, *A priori and a posteriori error analysis of an augmented mixed finite element method for incompressible fluid flows*. Computer Methods in Applied Mechanics and Engineering, vol. 198, 2, pp. 280-291, (2008).
- [4] L. FIGUEROA, G.N. GATICA, AND A. MÁRQUEZ, *Augmented mixed finite element methods for the stationary Stokes Equations*. SIAM Journal on Scientific Computing, vol. 31, 2, pp. 1082-1119, (2008).
- [5] A.I. GARRALDA-GUILLEM, G.N. GATICA, A. MÁRQUEZ, AND M. RUIZ GALÁN, *A posteriori error analysis of twofold saddle point variational formulations for nonlinear boundary value problems*. IMA Journal of Numerical Analysis, to appear.
- [6] G.N. GATICA, *Analysis of a new augmented mixed finite element method for linear elasticity allowing  $\mathbb{RT}_0-\mathbb{P}_1-\mathbb{P}_0$  approximations*. ESAIM: Mathematical Modelling and Numerical Analysis, vol. 40, 1, pp. 1-28, (2006).
- [7] G.N. GATICA, A. MÁRQUEZ AND W. RUDOLPH, *A priori and a posteriori error analyses of augmented twofold saddle point formulations for nonlinear elasticity problems*. Computer Methods in Applied Mechanics and Engineering, vol. 264, 1, pp. 23-48, (2013).
- [8] G.N. GATICA, A. MÁRQUEZ, AND M. SÁNCHEZ, *A priori and a posteriori error analyses of a velocity-pseudostress formulation for a class of quasi-Newtonian Stokes flows*. Computer Methods in Applied Mechanics and Engineering, vol. 200, 17-20, pp. 1619-1636, (2011).
- [9] G.N. GATICA, R. OYARZÚA AND F.-J. SAYAS, *Analysis of fully-mixed finite element methods for the Stokes-Darcy coupled problem*. Mathematics of Computation, vol. 80, 276, pp. 1911-1948, (2011).
- [10] G.N. GATICA, R. OYARZÚA AND F.-J. SAYAS, *A twofold saddle point approach for the coupling of fluid flow with nonlinear porous media flow*. IMA Journal of Numerical Analysis, vol. 32, 3, pp. 845-887, (2012).
- [11] W.J. LAYTON, F. SCHIEWECK, AND I. YOTOV, *Coupling fluid flow with porous media flow*. SIAM Journal on Numerical Analysis, vol. 40, 6, pp. 2195-2218, (2003).
- [12] A. MÁRQUEZ, S. MEDDAHI, AND F.-J. SAYAS, *Strong coupling of finite element methods for the Stokes-Darcy problem*. <http://arxiv.org/abs/1203.4717>

- [13] B. SCHEURER, *Existence et approximation de point selles pour certain problèmes non linéaires*. R.A.I.R.O. Analyse Numérique, vol. 11, 4, pp. 369-400, (1977).
- [14] R. VERFÜRTH, *A Review of A Posteriori Error Estimation and Adaptive-Mesh-Refinement Techniques*. Wiley-Teubner (Chichester), 1996.